
M.E.A.D Analysis Data Report

MedPex Enterprises Ltd. Medical R&D Center


Medpex M.E.A.D. Version: 6

Measurement Date: 2/16/2024: 6:42:31 PM

No: 08202016 Address:			Name: (Eyton Meyer)				Gender: Female Tel No:			D.O.B: 8/20/2016 (7.5) M.Age: 7.5			
Measuring potential: Normal potential (normal method)										Unit: uA			
	LU	PC	HT	SI	TE	LI	SP	LR	KI	BL	GB	ST	
Left	20.4 [17.4]	52.8 [49.2]	64.4 [71.4]	54.0 [50.3]	37.3 [30.0]	45.2 [36.4]	69.3 [69.3]	8.1 [10.1]	34.8 [34.8]	52.7 [56.9]	7.4 [9.1]	15.1 [17.1]	
Right	38.1 [32.5]	38.7 [36.1]	32.1 [35.5]	45.0 [42.0]	14.8 [11.9]	50.6 [40.7]	44.1 [44.1]	8.9 [11.0]	50.4 [50.4]	73.4 [79.2]	9.6 [12.0]	13.0 [14.8]	org.



Five Elements Analysis With Yin-Zang And Yang-Fu Integrated



E.C.I.:

Body Energy: 36.7 (28 - 61)

Body energy and primordial Qi are normal.

Ratio of mental state:

Up 37.8 / Down 34.1 = 1.11 (0.78-1.09)

Qi-Blood is slightly excessive in upper-jiao; There is a slight mental stress.

musculoskeletal systems:

Left 37.7 / Right 34.2 =

1.10 (0.88-1.14)

36.3

Qi-Blood is balanced and the musculoskeletal system is functioning normally.

Metabolism function:

Yin 38.5 / Yang 33.4 =

1.15 (0.82-1.24)

Yin and Yang are balanced and body metabolism is normal.

Function of autonomic nerve:

Hi 46.0 / Low 27.7 =

1.66 (1.0-1.5)

Autonomic nervous system is slightly imbalanced.

Analysis of meridian energy **For Medical Research and Reference Only**

[1]State of body energy

[Average body energy is normal]

[2]State of mental stress

[Mental State Shows Imbalance]

[3]Musculoskeletal system

[The musculoskeletal system works well]

[4]Metabolism of the body

[Metabolism of the body is normal]

[5]Function of autonomic nerve

[Autonomic Nerve Function is Abnormal]

[6][Liver Meridian Atypical]

[Deficiency syndrome of Liver Meridian]

- 1. Red or tearfing eyes.
- 2. Skin looks dark.
- 3. Lassitude and fatigue.
- 4. Feeling of vertigo after standing a long time.
- 5. Low sexual drive.

[7][Bladder Meridian Atypical]

[Excess syndromes of the Bladder Meridian]

- 1. Frequency of urination.
- 2. Stiffness and pain of muscle on the back.
- 3. Aching neck pain.
- 4. Headache (especially when defecating)
- 5. Vertigo, headache.

[8][Gallbladder Meridian Atypical]

[Deficiency syndrome of the Gallbladder Meridian]

- 1. Abnormal feeling of cold, vertigo.
- 2. Gray and dimmish skin, lack of sheen.
- 3. Eyes look yellow or red.
- 4. Visual disturbance.
- 5. Difficulty breathing.
- 6. Weakened strength.

[9][Stomach Meridian Atypical]

[Deficiency syndrome of the Stomach Meridian]

- 1. Flatulence.
- 2. Anorexia (poor appetite).
- 3. Abdominal pain after eating, loose stool or nausea.
- 4. Lassitude and weakness in lower extremities.
- 5. Hypoacidity, weak digestive function.

Protocols of points and herbs **For Medical Research and Reference Only**

[1][Liver Meridian Atypical]

[Deficiency syndrome of Liver Meridian]

- * Acupuncture Point Prescriptions **
- 1. The combination of Mother-Father points (reinforce Mother, then reduce Father): reinforce Qu Quan (LR8), reduce Zhong Feng (LR4); reinforce Yin Gu (KI10), reduce Jing Qu (LU8).
- 2. Hui-Influential point and Xi-Cleft point combination: Zhang Men (LR13), Yang Ling Quan (GB34), Zhong Du (LR6).
- 3. Shu-point and Mu-point combination: Gan Shu (BL18), Qi Men (LR14).
- 4. Yuan-Source point and Luo-Connecting point combination: Tai Chong (LR3), Guang Ming (GB37).
- 5. The combination of Husband-Wife points: Yang Gu (SI5), Jing Qu (LU8).
- 6. Select points from the imbalanced meridian: Tai Chong (LR3), Xing Jian (LR2), Da Dun (LR1), Qi Men (LR14), Zhang Men (LR13), Zhong Feng (LR4).
- 7. Reinforce and reduce method: Yang Gu (SI5), Jin Qu (LU8), Qu Quan (LR8), Tai Chong (LR3).

[2][Bladder Meridian Atypical]

[Excess syndrome of Bladder Meridian]

- * Acupuncture Point Prescriptions **
- 1. The combination of Father-Son points (reinforce Father, then reduce Son): reinforce Wei Zhong (BL54), reduce Shu Gu (BL65); reinforce Zu San Li (ST39), reduce Zu Lin Qi (GB41).
- 2. Hui-Influential point and Xi-Cleft point combination: Zhong Wan (RN12), Jin Men (BL63).
- 3. Shu-point and Mu-point combination: Pang Guang Shu (BL28), Zhong Ji (RN3).
- 4. Yuan-Source point and Luo-Connecting point combination: Jing Gu (BL64), Da Zhong (KI4).
- 5. The combination of Husband-Wife points: Shao Fu (HT8), Zu Tong Gu (BL66).
- 6. Selecting points from the imbalanced meridian: Pang Guang Shu (BL28), Shen Shu (BL23), Qi Hai (RN6), Guan Yuan (RN4).
- 7. Reinforcing and Reducing method: Zu Tong Gu (BL66), Zhi Yin (BL67), Yu Ji (LU10).

[3][Gallbladder Meridian Atypical]

[Deficiency syndrome of Gallbladder Meridian]

- * Acupuncture Point Prescriptions **
- 1. The combination of Mother-Father points (reinforce Mother, then reduce Father): reinforce Xia Xi (GB43), reduce Zu Qiao Yin (GB44); reinforce Zu Tong Gu (BL66), reduce Shang Yang.
- 2. Hui-Influential point and Xi-Cleft point combination: Zhong Wan (RN12), Wai Qiu (GB36).
- 3. Shu-point and Mu-point combination: Dan Shu (BL19), Ri Yue (GB24).
- 4. Yuan-Source point and Luo-Connecting point combination: Qiu Xu (GB40), Li Gou (LR5).
- 5. The combination of Husband-Wife points: Yang Gu (SI5), Jing Qu (LU8).
- 6. Select points from the imbalanced meridian: Zu Lin Qi (GB41), Ri Yue (GB24), Yang Fu (GB38), Jing Men (GB25), Yang Ling Quan (GB34), Qiu Xu (GB40).
- 7. Reinforce and reduce method: Yang Gu (SI5), Yang Fu (GB38), Jing Qu (LU8), Qiu Xu (GB40), Yang Ling Quan (GB34).

[4][Stomach Meridian Atypical]

[Deficiency syndrome of Stomach Meridian]

- * Acupuncture Point Prescriptions **
- 1. The combination of Mother-Father points (reinforce Mother, then reduce Father): reinforce Jie Xi (ST41), reduce Xian Gu (ST43); reinforce Yang Gu (SI5), reduce Zu Lin Qi (GB41).
- 2. Hui-Influential point and Xi-Cleft point combination: Zhong Wan (RN12), Ge Shu (BL17), Liang Qiu (ST34).
- 3. Shu-point and Mu-point combination: Wei Shu (BL21), Zhong Wan (RN12).
- 4. Yuan-Source point and Luo-Connecting point combination: Chong Yang (ST42), Gong Sun (SP4), Da Bao (SP21).
- 5. The combination of Husband-Wife points: Zu San Li (ST36), Yin Gu (KI10).
- 6. Select points from the imbalanced meridian: Zu San Li (ST36), Shang Ju Xu (ST37), Nei Ting (ST44), Liang Men (ST21), Chong Yang (ST42).
- 7. Reinforce and reduce method: Zu San Li (ST36), Yin Gu (KI10), Jie xi (ST41), Wei Shu (BL21), Chong Yang (ST42).

Health food and dietary regimen

[1][Liver Meridian Atypical]

[Dietetic therapy for the Liver Meridian]

**This kind of dietetic therapy is as same as that of Gallbladder Meridian.

Healthy foods for the Liver Meridian:

Grape, banana, plum, tomato, lichee, lotus root, horse bean, leek, mushroom wheat, crab, beef, venison, chicken, kelp.

[2][Bladder Meridian Atypical]

[Dietetic therapy for the Bladder Meridian]

Healthy foods for the Bladder Meridian:

Watermelon, gourd, pea, cucumber, cabbage, celery, mung bean, lettuce.

[3][Gallbladder Meridian Atypical]

[Dietetic therapy for the Gallbladder Meridian]

**This kind of diet therapy is as same as that of the Liver Meridian

Healthy foods for the Gallbladder Meridian:

Peanut, sesame, walnut, hawthrone, grape, banana, plum, tomato, litchi, lotus root, bean, leek, mushroom, wheat, crab, beef, venison, chicken, kelp.

[4][Stomach Meridian Atypical]

[Dietetic therapy for the Stomach Meridian]

Healthy foods for the Stomach Meridian:

Pineapple, persimmon, cantaloup, squash, lichee, lemon, orange, pear, peach, apple, tangerine, tea, green tea, fennel, celery, coriander, edible tree fungus, rice, millet, sorghum, corn, blue fish, beef, cow's milk, goat's milk, bean, buckwheat.